

Sub
B7F

14. (Amended) The method of Claim 13, wherein comparing each module block of outdated information to a corresponding module block of updated information identifies a plurality of module blocks in the updated module containing updated information, wherein the plurality of module blocks containing updated information are [downloaded] downloaded via the [network] common communications link from the first peer computer to the second computer, and wherein the module blocks containing outdated information are replaced with the plurality of module blocks containing updated information.

15. (Amended) A method for updating information stored in memory of a subscribing computer connected to a publishing computer via a [network] common communications link, the method comprising:

A8
Cont.

(a) subscribing to published information stored in memory of the publishing computer;

(b) comparing the information stored in memory of the subscribing computer to the published information stored in memory of the publishing computer;

(c) responsive to the published information stored in memory of the publishing computer having been changed from the information stored in memory of the subscribing computer, identifying which published information stored in memory of the publishing computer has been changed;

(d) downloading from the publishing computer to the subscribing computer via the [network] common communications link only that published information which has changed from the information stored in the memory of the subscribing computer; and

(e) updating the information stored in memory of the subscribing computer only with that published information which has changed and has been downloaded from the publishing computer.

16. (Amended) A method of updating a plurality of user modules of information via a

1 [network] common communications link interconnecting a host computer and a user computer, the user
2 computer having a user memory for storing user modules, each user module including a plurality of
3 user module blocks, the host computer having a host memory for storing host modules, each host
4 module including a plurality of module blocks, the method comprising:

5 (a) identifying a first user module stored in user memory, wherein at least one first
6 user module block of the first user module comprises a second user module of information;

7 (b) identifying a first host module stored in host memory that corresponds to the first
8 user module, wherein each first host module block corresponds to a first user module block, wherein at
9 least one first host module block comprises a second host module of information, and wherein the
10 second host module corresponds to the second user module;

11 (c) comparing the first host module to the first user module to determine if the first
12 host module contains more recent information,

13 (d) if the first host module contains more recent information, comparing each first
14 host module block to the corresponding first user module block to determine if the first host module
15 block contains more recent information than the corresponding first user module block;

16 (e) if the first host module block comprises a second host module of information,
17 comparing each second host module block to the corresponding second user module block to determine
18 if the second host module block contains more recent information than the corresponding second user
19 module block;

20 (f) downloading via the [network] common communications link, each host module
21 block containing more recent information into user memory; and

22 (g) updating each corresponding user module block with the corresponding
23 downloaded host module block.

24 Please add new Claims 17-46 as follows:

25 Sub 17. The method of Claim 12, further comprising repeating (a) through (c) for each module of

1 ~~Outdated information stored in the first peer computer.~~

2 ~~18.~~ ²² The method of Claim ~~12~~ ¹⁸, wherein the at least one module block of outdated information
3 contains a nested outdated module.

4 ~~19.~~ ²³ The method of Claim ~~12~~ ¹⁸, wherein the at least one module block of updated information
5 contains a nested updated module.

6 ~~20.~~ ²⁴ The method of Claim ~~12~~ ¹⁸, wherein the module of updated information contains more
7 recent information.

8 ~~21.~~ ²⁵ The method of Claim ~~12~~ ¹⁸, wherein the module of updated information contains new
9 information.

10 ~~22.~~ The method of Claim 12, further comprising:

11 ^{A3} ^{Cont.} ^{Sub} ²⁶ (a) identifying an nth module of updated information stored in memory of an nth
12 peer computer;

13 (b) comparing the nth module of updated information to the module of outdated
14 information stored in the memory of the first peer computer; and

15 (c) if the nth module contains any updated nth module blocks, downloading only the
16 updated nth module blocks and updating the first peer computer with the updated nth module blocks
17 downloaded from the nth peer computer.

18 ~~23.~~ ²⁸ The method of Claim ~~15~~ ²⁷, wherein the published information which has changed is more
19 recent information.

20 ~~24.~~ ²⁹ The method of Claim ~~15~~ ²⁷, wherein the published information which has changed is new
21 information.

22 25. The method of Claim 15, wherein the information stored in the memory of a subscribing
23 computer is stored in subscriber modules, and wherein the published information is stored in publisher
24 modules.

25 ~~26.~~ ³⁰ The method of Claim ~~25~~ ²⁷, wherein at least one subscriber module contains a nested

1 subscriber module.

2 ³¹27. The method of Claim ²⁷25, wherein at least one publisher module contains a nested
3 publisher module.

4 ³²28. The method of Claim ²⁷25, wherein comparing the information comprises comparing
5 subscriber modules to publisher modules to identify changed publisher modules.

6 ³³29. The method of Claim ²⁷25, wherein downloading the information comprises downloading
7 only the changed publisher modules, and wherein updating the subscribing computer comprises
8 updating only with the changed publisher modules.

9 30. The method of Claim 25, wherein the subscriber modules comprise subscriber module
10 blocks, and wherein the publisher modules comprise publisher module blocks.

11 31. The method of Claim 30, wherein comparing the information comprises comparing
12 subscriber module blocks to publisher module blocks to identify changed publisher module blocks.

13 ^{A3}32. The method of Claim 30, wherein downloading the information comprises downloading
14 only the changed publisher module blocks, and wherein updating the subscribing computer comprises
15 updating only with the changed publisher module blocks.

16 ^{Sub B7}33. The method of Claim 15, further comprising:

17 (a) identifying an nth publishing computer connected to the subscribing computer
18 via the common communications link;

19 (b) subscribing to published information stored in memory of the nth publishing
20 computer;

21 (c) comparing the information stored in memory of the subscribing computer to the
22 published information stored in memory of the nth publishing computer;

23 (d) responsive to the published information stored in memory of the nth publishing
24 computer having been changed from the information stored in memory of the subscribing computer,
25 identifying which published information stored in memory of the nth publishing computer has been

changed;

(e) downloading from the nth publishing computer to the subscribing computer via the common communications link only that published information which has changed from the information stored in the memory of the subscribing computer; and

(f) updating the information stored in memory of the subscribing computer only with that published information which has changed and has been downloaded from the nth publishing computer.

³⁶
34. The method of Claim ³⁵16, further comprising repeating (b) through (g) for each of a plurality of user modules.

³⁷
35. The method of claim ³⁵16, further comprising:

(a) comparing the first host module to the first user module to determine if the first host module contains new information;

(b) if the first host module contains new information, comparing the first host module blocks to the first user module blocks to determine if any first host module blocks contain new information;

(c) if the first host module block comprises a second host module of information, comparing the second host module blocks to the second user module blocks to determine if any second host module block contains new information;

(d) downloading only the host module blocks containing new information; and

(e) updating the first user module with only the new information contained in the downloaded host module blocks.

³⁸
36. The method of Claim ³⁵16, further comprising:

(a) identifying an nth host module stored in an nth host computer, wherein the nth host module corresponds to the first user module, wherein at least one nth host module block comprises a nested nth host module, and wherein the nested nth host module corresponds to the second user

1 module;

2 (b) comparing the nth host module to the first user module to determine if the nth
3 host module contains changed information;

4 (c) if the nth host module contains changed information, comparing the nth host
5 module blocks to the first user module blocks to determine which nth host module blocks contain
6 changed information;

7 (d) if the nth module block comprises a nested nth host module of information,
8 comparing the nested nth host module blocks to the second user module blocks to determine which
9 nested nth host module blocks contain changed information; and

10 (e) downloading only the nth host module blocks containing changed information
11 and updating the user module with only the downloaded nth host module blocks containing changed
12 information.

13 ³⁹₃₇ The method of Claim ³⁶₃₆, wherein the changed information is more recent information.

14 ⁴⁰₃₈ The method of Claim ³⁶₃₆, wherein the changed information is new information.

15 ⁴¹₃₉ The method of Claim ³⁵₁₆ further comprising:

16 (a) identifying a first alternate host module including a plurality of first alternate
17 host module blocks stored in an alternate host computer, wherein the first alternate host module
18 corresponds to the first user module, wherein at least one first alternate host module block comprises a
19 second alternate host module that includes a plurality of second alternate host module blocks, and
20 wherein the second alternate host module corresponds to the second user module;

21 (b) comparing the first alternate host module to the first user module to determine if
22 the first alternate host module contains changed information;

23 (c) if the first alternate host module contains changed information, comparing the
24 first alternate host module blocks to the first user module blocks to determine which first alternate host
25 module blocks contain changed information;

1 (d) if the first alternate host module block comprises a second alternate host module
2 of information, comparing the second alternate host module blocks to the second user module blocks to
3 determine which second alternate host module blocks contain changed information; and

4 (e) downloading only the alternate host module blocks containing changed
5 information and updating the user module with only the downloaded alternate host module blocks
6 containing changed information.

7 ⁴²40. The method of Claim ⁴¹39, wherein the changed information is more recent information.

8 ⁴³41. The method of Claim ⁴¹39, wherein the changed information is new information.

9 ⁴⁴42. The computer-readable medium of Claim 1, wherein the comparison component
10 identifies which module blocks in the updated module of information contain new information.

11 ⁴⁵43. The computer-readable medium of Claim 1, wherein the download component
12 downloads module blocks in the updated module of information containing new information.

13 ⁴⁶44. The computer-readable medium of Claim 1, wherein the update component updates the
14 out-of-date module with the module blocks of the updated module containing new information that
15 were downloaded by the download component.

16 ⁴⁷45. The computer-readable medium of Claim 1, wherein the out-of-date module of
17 information contains a submodule.

18 ⁴⁸46. The computer-readable medium of Claim 1, wherein the updated module of information
19 contains a submodule.

20 ⁴⁹47. The method of Claim ⁹4, wherein identifying the second module containing more recent
21 information comprises:

- 22 (a) determining a first origin date for the first module;
23 (b) determining a second origin date for the second module; and
24 (c) comparing the first origin date for the first module to the second origin date for
25 the second module.—